## **Phoenix DryMAX - LGR Dehumidifier**

**SPEC SHEET** 







THE ULTRA COMPACT, TOUGH-AS-IT-GETS PHOENIX DRYMAX REMOVES 80 PPD @ AHAM WHILE USING ONLY 5.7 AMPS, MAKING OUR SMALLEST LARGE CATEGORY LGR DEHUMIDIFIER A VERY BIG DEAL





## **Phoenix DryMAX - LGR Dehumidifier**

#### **ULTRA-COMPACT, LARGE CATEGORY PERFORMANCE**

The Phoenix DryMAX is 6% smaller than the closest dehumidifier while still including an integrated handle and wheels for easy transport. It also includes onboard storage for the power cord and condensate hose. Remove only four fasteners, and you have easy access to service the unit. The all-new Phoenix microchannel condenser allows us to pack this much performance into such a small dehumidifier. We've also added a new four-line display to the unit, which provides all the information you need to take readings directly from the home screen, in addition to a status bar at the top of the new control panel to give you instant feedback from across the room. The stacking of our Phoenix AirMAX worked so well that we took the same innovative approach to the Phoenix DryMAX. Used together, you have a best-in-class compact, portable, stackable, rugged drying system.

#### **FEATURES**

- Ultra compact design
- Slide out handle with wheels for transportation
- · New four-line control panel with status bar
- Superior stacking
- Micro-channel condenser
- Easy access for service
- 80 PPD at AHAM
- Draws only 5.7 amps
- 170 CFM without external ducting
- Heavy-duty condensate pump
- Pleated 9"x12"x1" MERV-10 Media Air Filter
- Integrated wire duct collar to allow for 10" lay-flat to be connected to the exhaust
- Onboard storage for 25' power cord and
- 33' condensate hose

Xactimate Code: WTRDHM>



## **Phoenix DryMAX - LGR Dehumidifier**

#### **SPECIFICATIONS**

#### **PART NUMBERS**

4036000 (Red) 4036060 (Blue)

#### **POWER**

Current Draw: 5.7 Amps Voltage: 120 VAC, Grounded

#### **WATER REMOVAL**

80 PPD at 80°F/60% RH (AHAM)

#### **CFM**

170 CFM without external ducting

#### **FILTER**

Pleated 9" x 12" x 1" Media MERV-10

#### **DUCTING OPTIONS**

10" lay-flat

#### **DIMENSIONS**

UNIT SHIPPING
WIDTH: 12" 16"
HEIGHT: 17 1/2" 19"
DEPTH: 21" 35"
WEIGHT: 63 lbs 65 lbs

#### **OPERATING RANGE**

33°F to 110°F

#### REFRIGERANT CHARGE

1 lb, 3 oz. R-410A

# POPULAR ACCESSORIES AND REPLACEMENT FILTERS

4024936 Lay-flat Duct 10" Round x 250' Roll 4037046 9" x 12" x 1" MERV-10 Filter

#### WARRANTY

Year 1 - 100% of Parts and Labor
Year 2-5 100% of sealed refrigeration system parts

#### **PATENTS**

US Patent Pending ົ່ງ**Therma-Stor** ແດ



## **Phoenix DryMAX - LGR Dehumidifier**

**ULTRA-COMPACT, LARGE CATEGORY PERFORMANCE** 



**The Perfect Drying Solution** 

#### **FEATURES**

Ultra-Compact Design

Slide Out Handle with Wheels for Transportation

**New Four Line Control Panel with Status Bar** 

**Superior Stacking** 

**Micro-Channel Condenser** 

**Easy Access for Service** 

Removes 80 pints per day at AHAM (80°F/60% RH)

Draws only 5.7 amps

170 CFM

**Heavy-Duty Condensate Pump** 

Pleated 9" x 12" x 1" MERV-10

**Media Air Filter** 

