Phoenix DryMAX XL - XL LGR Dehumidifier

SPEC SHEET



THE BLUETOOTH-ENABLED PHOENIX DRYMAX XL IS THE FIRST EVER ULTRA-PORTABLE XL LGR. AT JUST 88 LBS, IT REMOVES AN AMAZING 125 PPD AT AHAM IN A COMPACT SIZE WHICH DOUBLES THE AMOUNT OF UNITS YOU CAN FIT ON YOUR TRUCK.



USEPHOENIX.COM

Phoenix DryMAX XL - XL LGR Dehumidifier

INTRODUCING THE FIRST EVER ULTRA-PORTABLE XL LGR

The groundbreaking Phoenix DryMAX XL is revolutionizing the LGR dehumidifier market removing an amazing 125 PPD at AHAM while taking up only 50% of the space of the next smallest competitive XL dehumidifier. Because of its compact size, the Phoenix DryMAX XL allows restorers to fit twice the amount of XL units on their vehicle. The Phoenix DryMAX XL is also the first dehumidifier with built-in Bluetooth technology. Our free Phoenix DryLINK mobile app is included with the unit upon purchase. The unit will automatically send the psychrometric data by Bluetooth to the Phoenix DryLINK App (or an app you may already use for drying jobs), providing you with accurate readings to track performance and save time. Like our industry leading Phoenix DryMAX and Phoenix AirMAX, the new Phoenix DryMAX XL is designed with superior stacking features and easy service access. Our patented FiveCOIL design, which includes our micro-channel condenser, allows the featherweight Phoenix DryMAX XL to pack a knock-out punch on drying performance every time.

FEATURES

- Ultra-compact design with XL performance
- Built-in Bluetooth technology
- Free Phoenix DryLINK mobile app, compatible with iOS and Android
- Quiet mode
- Industry leading graphical control panel
- Fold-down handle with wheels for transport
- FiveCOIL Our patented five coil design with auto-adjusting fan speed for maximum LGR performance in low grain conditions
- Onboard storage for 25' power cord and 33' condensate hose
- Easy access for service
- Superior stacking
- 125 PPD at AHAM

Xactimate Code: WTRDHM>>



USEPHOENIX.COM

1.800.533.7533

Phoenix DryMAX XL - XL LGR Dehumidifier

SPECIFICATIONS

PART NUMBERS

4037000 (Red) 4037060 (Blue)

POWER

Current Draw: 7.7 Amps

WATER REMOVAL

125 PPD at 80°F/60% RH (AHAM)

CFM

300 CFM

FILTER

12" x 14" x 1" MERV-10

DUCTING OPTIONS

Outlet – 2X10" Lay-Flat or 1x14" Lay-Flat Inlet - 12" Flex Duct

DIMENSIONS

	UNIT	SHIPPING
WIDTH:	16"	19 1/2"
HEIGHT:	17 1/2"	20"
DEPTH:	24"	28"
WEIGHT:	88 lbs	90 lbs

OPERATING RANGE

33°F to 110°F

REFRIGERANT CHARGE

1 lb, 8 oz. R-410A

TECHNOLOGY

Bluetooth Connected Phoenix DryLINK APP Graphical Control Panel Patent Pending FiveCOIL Refrigeration System

POPULAR ACCESSORIES AND REPLACEMENT FILTERS

4038558Air Filter, Pleated 12" x 14" x 1" MERV-104024935Phoenix Lay Flat 10" Round x 250'4024936Phoenix Lay Flat 14" Round x 250'4024750Flex Duct 12" x 25'

WARRANTY

Year 1 - 100% of Parts and Labor Year 2-5 100% of sealed refrigeration system parts

PATENTS

Patent Pending



USEPHOENIX.COM

1.800.533.7533

Phoenix DryMAX XL - XL LGR Dehumidifier

SPEC SHEET



FEATURES

Ultra-Compact Design with XL Performance

Built-In Bluetooth Technology

Free DryLINK App

Industry Leading Graphical Control Panel

Fold-Down Handle with Wheels for Transportation

FiveCOIL - Our Patented Five Coil Design with Auto Adjusting Fan Speed for Maximum LGR Performance

Easy Access for Service

Superior Stacking

Removes 125 pints per day at AHAM (80°F/60% RH)

Draws only 7.7 amps, 300 CFM

Graphical Control Panel

Easy Cord and Hose Storage









USEPHOENIX.COM

